

RECEIVED
CENTRAL FAX CENTER
DEC 01 2008

CLAIM LISTING

1. (currently amended) A system, comprising:
a server configured to be coupled in data communication with a network, the server being configured to:
maintain a database having a plurality of including a computer accessible database of one or more data records, each of the one or more plurality of data records including a printer type identification, a plurality of substitute printer driver identifications associated with the printer type identification, and a compatibility rating associated with each substitute printer driver identifications;
communicate one of the plurality of data records via the network and receive a response identifying a selected one of the plurality of substitute printer driver identifications included in the communicated data record; and
cause a printer driver identified by the selected substitute printer driver identification to derive print ready data file for future print requests directed to a printer of the particular type identified by the printer type identification that is associated with the selected substitute printer driver identification.
a printer type identification;
one or more substitute printer driver identifications associated with the printer type identification; and
one or more compatibility ratings associated with the printer type identification and a particular one of the one or more substitute printer driver identifications.
2. (currently amended) The system of claim 1, and further comprising a printer configured to be coupled in data communication with the network, the printer defining a printer type substantially equivalent to the printer type identification of at least one of the plurality of data records of the computer accessible database.
3. (currently amended) The system of claim ~~[[2]]~~ 1, and wherein the server

S/N: 10/777,372
Case: 200300433-1
Response to Office Action

includes, for each substitute printer driver identification, a printer driver identified by that substitute printer driver identification at least one substitute printer driver associated with the printer.

4. (original) The system of claim 1, and wherein the server is defined by a mobile enterprise printing server.

5. (currently amended) The system of claim 1, and further comprising a user computer configured to be coupled in data communication with the network, the user computer configured to:

receive a data record communicated by the server; and

communicate a response to the server, the response identifying a selected one of the plurality of substitute printer driver identifications included in the received data record.

~~access the computer accessible database of the server by way of the network in response to a user input;~~

~~display a listing corresponding to the contents of at least one of the one or more data records of the computer accessible database;~~

~~receive a user selection input corresponding to one of the one or more substitute printer driver identifications; and~~

~~issue a substitute printer driver selection command to the server by way of the network in response to the user selection input.~~

6. (cancelled)

7. (currently amended) The system of claim 1, and wherein the server is further configured to:

receive an update command; and

~~access a predetermined Internet website by way of the network in response to the update command, the Internet website hosting a network accessible database;~~

download one or more data records available from an the network accessible

~~database of the Internet website; and~~

~~amend the computer-accessible database of the server in accordance with the one or more downloaded data records.~~

8. (currently amended) The system of claim 7, and wherein the server is further configured to amend by adding at least one of the one or more downloaded data records to the ~~computer-accessible database of the server.~~

9. (currently amended) The system of claim 7, and wherein the server is further configured to download the one or more data records in accordance with a comparison between the ~~network-accessible database of the~~ data records available from the Internet website and the ~~computer-accessible database of the server.~~

10. (cancelled)

11. (cancelled).

12. (currently amended) The system of claim 1, and wherein at least one of the one or more compatibility ratings is defined by one of a star rating, ~~or~~ and a percentage rating.

13. (cancelled)

14. (cancelled)

15. (cancelled).

16. (cancelled)

17. (original) A method ~~of managing a system~~, comprising:
maintaining a database having a plurality of data records, each of the plurality of

data records including a printer type identification, a plurality of substitute printer driver identifications associated with the printer type identification, and a compatibility rating associated with each substitute printer driver identifications;

communicating one of the plurality of data records and receiving a response identifying a selected one of the plurality of substitute printer driver identifications included in the communicated data record; and

causing a printer driver identified by the selected substitute printer driver identification to derive print ready data file for future print requests directed to a printer of the particular type identified by the printer type identification that is associated with the selected substitute printer driver identification.

~~receiving an error message indicative of an operational problem with a printer driver of the system;~~

~~accessing a computer-accessible database including one or more data records;~~

~~displaying a listing corresponding to the contents of the one or more data records, each data record including a printer type identification, one or more substitute printer driver identifications associated with the printer type identification, and one or more compatibility ratings associated with the printer type identification and a particular one of the substitute printer driver identifications;~~

~~issuing a selection command corresponding to a particular one of the displayed substitute printer driver identifications; and~~

~~establishing an operational association between a substitute printer driver and a printer of the system in accordance with the selection command.~~

18. (currently amended) The method of claim 17, further comprising:

causing the printer of the particular type to image the print ready data file on sheet media.

~~converting an electronic document into a print ready data file using the substitute printer driver; and~~

~~imaging the print ready data file on sheet media using the printer.~~

19. (cancelled)

20. (cancelled)

21. (cancelled)

22. (cancelled)

23. (cancelled)

24. (cancelled)

25. (currently amended) An apparatus, comprising:

a computer-readable storage media including an executable program code, the executable program code configured to cause a processor of a server to selectively:

maintain a database having a plurality of data records, each of the plurality of data records including a printer type identification, a plurality of substitute printer driver identifications associated with the printer type identification, and a compatibility rating associated with each substitute printer driver identifications;

communicate one of the plurality of data records and receive a response identifying a selected one of the plurality of substitute printer driver identifications included in the communicated data record; and

cause a printer driver identified by the selected substitute printer driver identification to derive print ready data file for future print requests directed to a printer of the particular type identified by the printer type identification that is associated with the selected substitute printer driver identification.

~~provide an electronic listing corresponding to one or more data records of a database of the server in response to a listing command input, each of the one or more data records including a printer type identification, one or more substitute printer driver identifications associated with the printer type identification, and one or more compatibility ratings associated with the printer type identification and a particular one of the one or more substitute printer driver identifications;~~

and

~~establish an operational association between a substitute printer driver of the server and a printer coupled in data communication with the server in response to a selection command input.~~

26. (currently amended) The apparatus of claim 25, and wherein the executable program code is further configured to cause the processor of the server to selectively amend at least one data record of the database ~~of the server~~ using one or more downloaded data records ~~downloaded from a predetermined network-accessible database in response to an update command input.~~

27. (currently amended) A data system, comprising:

means for maintaining a database having a plurality of data records, each of the plurality of data records including a printer type identification, a plurality of substitute printer driver identifications associated with the printer type identification, and a compatibility rating associated with each substitute printer driver identifications;

means for communicating one of the plurality of data records and receiving a response identifying a selected one of the plurality of substitute printer driver identifications included in the communicated data record; and

means for causing a printer driver identified by the selected substitute printer driver identification to derive print ready data file for future print requests directed to a printer of the particular type identified by the printer type identification that is associated with the selected substitute printer driver identification.

~~means for imaging sheet media;~~

~~means for displaying contents of one or more data records, each data record including a printer type identification, one or more substitute printer driver identifications associated with the printer type identification, and one or more compatibility ratings associated with the printer type identification and a particular one of the substitute printer driver identifications;~~

~~means for establishing an operational association between the means for imaging sheet media and a substitute printer driver means; and~~

~~means for amending a database means in accordance with the at least one data record downloaded from a predetermined remote means.~~

28. (cancelled)

29. (cancelled)

30. (cancelled)

31. (cancelled)

32 (cancelled)

33 (cancelled)

34. (cancelled)